

**Index****3**

3D displays ..... 5-21

**A**

Abbreviations ..... 8-19, 15-14  
 Abduction ..... 14-29  
 Accelerators ..... 8-94  
 Acceptance ..... 3-10  
 Access ..... 10-37  
 Access control ..... 11-2  
 Access openings ..... 10-25  
 Access protection ..... 11-4  
 Access space ..... 10-24  
 Accessible route  
   slope ..... 10-29  
 Accessibility ..... 15-70, 15-71, 15-72  
 Accidental actuation .. 6-9, 6-37, 6-38, 6-43,  
   9-26  
 Accommodate physical diversity ..... 2-7  
 Accommodation for people with disabilities...  
   ..... 2-8, 6-80, 9-26  
 Accreditation ..... 11-2  
 Acknowledgement ..... 7-12  
 Acoustical design ..... 13-21  
 Acronyms ..... 15-14  
 Action level ..... 13-21  
 Active window ..... 8-158  
 Adaptive automation ..... 3-27  
 Additional information ..... 1-13  
 Addressing messages ..... 8-192  
 Adduction ..... 14-29  
 Adjunct questions ..... 15-6  
 Adjustable dimensions ..... 14-5  
 Adjustment controls ..... 4-90  
 Adverse effects ..... 13-2  
   how to minimize ..... 13-2  
 Air-exhaust openings ..... 12-19  
 Alarm device ..... 12-1  
 Alarm filtering ..... 7-4  
 Alarm implementation ..... 7-2  
 Alarm parameters ..... 7-8  
 Alarm reset ..... 7-12  
 Alarm system characteristics ..... 7-1  
 Alarms and alerts ..... 7-1  
 Alternative input devices ..... 9-21  
 Ambient light ..... 13-15  
 Ambient lighting ..... 5-11, 6-8  
 Ambient noise ..... 12-27, 13-22. *See* Noise  
 Analog coding ..... 6-53  
 Anthropometric and biomechanics data .....  
   ..... 14-13  
 Anthropometrics  
   bivariate distribution data ..... 14-12

correlation data ..... 14-11, 14-12  
 distribution ..... 14-11  
 representative sample ..... 14-4  
 rule information ..... 14-4  
 variability factors ..... 14-13  
 Anthropometry ..... 14-1  
 Appendixes ..... 15-45  
 Appearance ..... 2-4  
 Application windows ..... 8-148  
 Aprons, safety ..... 12-23  
 Arctic clothing ..... 13-10  
 Armrests ..... 10-8  
 Arranging controls ..... 6-4, 6-75, 6-82  
 Artificial light ..... 13-16  
 Asbestos ..... 12-21  
 Audio ..... 15-63  
 Audio alarm ..... 7-1  
 Audio alarms ..... 7-5  
 Audio signals ..... 7-5  
   advantages of ..... 7-5  
   use of ..... 7-5  
 Auditing ..... 11-6  
 Auditory feedback ..... 7-8  
 Auditory signals  
   absolute identification ..... 7-8  
   ambient noise ..... 7-12  
   noninterference ..... 7-9  
   relative identification ..... 7-8  
   type ..... 7-6  
   unsuitable ..... 7-9  
   volume control ..... 7-12  
 Authentication ..... 11-3  
 Authorization ..... 11-3  
 Automated security measures ..... 11-6  
 Automated transaction logs ..... 11-7  
 Automatic shutoff ..... 7-13, 12-20, 12-25  
 Automation ..... 2-1  
   implementation ..... 3-4  
 Availability ..... 3-10

**B**

Background ..... 8-67  
 Backlighting ..... 5-16  
 Ball controls ..... 9-14  
 Ball tracker ..... 9-14  
 Basic design elements ..... 2-1  
 Batteries ..... 12-21  
 Battery ..... 12-23  
 Battery acid, protection ..... 12-23  
 Binaural headsets ..... 7-19  
 Binding ..... 15-19, 15-20  
 Biomechanics ..... 14-1  
 Bivariate distribution data ..... 14-12

Bleeders ..... 12-12  
 Blind operation ..... 6-9  
 Body proportions ..... 2-7  
 Body slump ..... 14-13  
 Borders ..... 6-16, 8-141  
 Brightness ..... 13-17  
 Brightness controls ..... 6-62  
 Brightness ratio ..... 13-17  
 Button functions ..... 9-21  
 Button operations ..... 9-20

## C

Cadmium oxide fumes ..... 12-21  
 Cages ..... 10-49  
 Capacitors, inductors, motors ..... 12-25  
 Capitalization ..... 8-23, 15-11  
 Caps ..... 12-19  
 Carbon monoxide ..... 12-21  
 Carcinogens ..... 12-24  
 Carrying ..... 14-52  
 Cases, covers, guards, and shields ..... 12-24  
 Caster rollers ..... 10-6  
 Cathode ray tube displays ..... 5-7  
   refresh rate ..... 5-8  
 Catwalks ..... 10-30  
 Caution  
   label ..... 12-37  
 Caution signals ..... 7-3  
 Ceiling areas ..... 10-36  
 Certification ..... 11-2  
 Character formation ..... 5-13  
 Character height ..... 5-14  
 Character size ..... 6-11, 6-62  
 Character spacing ..... 6-15, 8-21  
 Characters ..... 8-21  
 Charts  
   circular profile chart ..... 8-51  
   flowcharts ..... 8-52  
   linear profile charts ..... 8-51  
   pie charts ..... 8-51  
 Check boxes ..... 8-128  
 Chemicals, special ..... 12-23  
 Chromatic aberration ..... 5-9  
 Circuit ..... 7-5  
 Circuit breakers ..... 4-92  
   labeling and marking ..... 4-98  
   legend switch ..... 4-96  
   push-pull ..... 4-94  
   toggle bat ..... 4-96  
 Circumduction ..... 14-29  
 Classified data ..... 11-7  
 Cleaning solvent safety ..... 12-23  
 Clearance dimensions ..... 10-1, 14-5  
 Client area ..... 8-141

Clipboard ..... 8-113  
 Closed area ..... 11-7  
 Closed windows ..... 8-157  
 Closing windows ..... 8-163  
 Coding ..... 6-6, 6-24, 6-49, 6-52, 6-60, 6-68  
 Coding  
   alphanumeric ..... 8-24  
   bold ..... 8-25  
   brightness ..... 8-69  
   flash ..... 8-73  
   general information ..... 8-60  
   line ..... 8-71  
   multidimensional ..... 8-73  
   numeric ..... 8-25  
   shape ..... 8-72  
   size ..... 8-72  
   spatial ..... 8-73  
   symbol ..... 8-71  
   texture ..... 8-73  
   underlining ..... 8-25  
 Cold air discharge ..... 13-8  
 Color ..... 8-61, 12-6  
   adjacent colors ..... 8-65  
   background ..... 8-67  
   foreground ..... 8-67  
   location ..... 8-64  
   meaning ..... 8-64  
   number of ..... 8-68  
   symbols ..... 8-69  
 Color and shading ..... 15-32  
 Color-coding ..... 6-8, 6-23, 6-24  
 Color fringes ..... 5-9  
 Color selection ..... 8-62  
 Columns ..... 15-24  
 Combined controls ..... 6-75  
 Comfort zone ..... 13-7  
 Comfort zone chart ..... 13-5  
 Command interaction errors ..... 8-180  
 Command language ..... 8-101  
 Common tools ..... 2-8  
 Component locations ..... 10-25  
 Components of documents  
   appendixes ..... 15-45  
   copyright and patent issues ..... 15-51  
   cover page ..... 15-35  
   figures ..... 15-37  
   footnotes ..... 15-50  
   formulas and equations ..... 15-43  
   glossary ..... 15-46  
   index ..... 15-46  
   lists ..... 15-42

lists of exhibits ..... 15-36  
 publication date ..... 15-51  
 table of contents ..... 15-35  
 tables ..... 15-40  
 tabs ..... 15-50  
 user feedback forms ..... 15-47  
 warnings, cautions, and notes ..... 15-44  
 Concealed information ..... 8-58  
 Confirmation codes ..... 11-8  
 Connecting entrances ..... 10-28  
 Connecting routes ..... 10-28  
 Connectors  
   alignment aids ..... 4-54  
   electrical connections ..... 4-55  
   gaskets and seals ..... 4-73  
   labeling, marking, and coding ..... 4-58  
   location and accessibility ..... 4-53  
   types ..... 4-52  
 Consistency ..... 2-2  
 Console design ..... 10-2  
 Console dimensions ..... 10-3  
 Content ..... 15-53  
 Continuous recognition ..... 11-5  
 Contrast ..... 6-8, 6-15  
 Contrast ratio ..... 5-11  
   adjusting ..... 5-11  
 Control Accessibility ..... 6-80  
 Control automation ..... 3-34  
 Control bar ..... 8-144  
 Control force limits ..... 14-43  
 Control options ..... 8-121  
 Controls ..... 6-1, 6-2, 12-19  
   arrangement ..... 6-4  
   lighting ..... 13-19  
   location ..... 6-4, 6-7  
   maintenance ..... 6-5  
 Copyright ..... 15-51  
 Correlation coefficient or "r" value ..... 14-12  
 Correlation data, use of ..... 14-12  
 Corridors ..... 10-26  
 COTS ..... 1-3  
 Counters ..... 6-64, 6-65, 6-79  
 Covers, guards, and shields  
   hinged covers ..... 4-37  
   interlocks ..... 4-38  
   labeling and marking ..... 4-39  
   shape ..... 4-37  
   size ..... 4-36  
   sliding doors and caps ..... 4-37  
 Cranes ..... 4-15  
 Cranks ..... 6-31, 12-19  
 Crawl spaces ..... 10-30

Critical displays  
   location ..... 5-5  
 Critical graphics ..... 5-24  
 Critical life support equipment ..... 14-5  
 Cross referencing ..... 15-7  
 Cross-references ..... 15-57  
 CRT ..... 5-7  
   hazard ..... 12-29  
 Cursor control  
   key layout ..... 9-5  
   two-dimensional ..... 9-5  
 Cursors ..... 8-132  
   as a status indicator ..... 8-134  
   graphics cursor ..... 8-134  
   location ..... 8-138  
   pointing ..... 8-135  
   shapes ..... 8-136  
   text ..... 8-133  
 Curved labels ..... 6-12

## D

Danger  
   label ..... 12-37  
 Dark adaptation ..... 6-15, 13-14, 13-15  
 Data back up ..... 8-170  
 Data communication ..... 8-190  
 Data entry ..... 8-13  
 Data protection ..... 11-6  
   automated ..... 11-7  
   classified data ..... 11-7  
   encrypting messages ..... 11-7  
   read-only ..... 11-7  
 Data usage ..... 14-13  
 Data validation ..... 8-181  
 Data-entry windows ..... 8-150  
 Dead-man controls ..... 6-10  
 Decision aids ..... 3-29  
 Degraded system warning ..... 11-7  
 De-icing ..... 12-5  
 Depression ..... 14-29  
 Design ..... 3-7, 11-2  
 Design errors ..... 14-6  
 Design limits ..... 14-4  
 Designing equipment for handling  
   alignment aids ..... 4-14  
   designing for remote handling ..... 4-14  
   grasp areas ..... 4-13  
   handles ..... 4-8  
   shape ..... 4-8  
   size ..... 4-8  
   stands and rests ..... 4-13

weight.....	4-6
Designing equipment for maintenance	
connectors.....	4-51
covers, guards, and shields.....	4-33
designing equipment for handling.....	4-5
fasteners.....	4-40
lines and cables.....	4-59
minimizing need for maintenance.....	4-5
Detent stops.....	6-1, 6-20, 6-25, 6-30, 6-43, 6-45
Diagrams.....	8-53
Dialog boxes.....	8-155
Differentiating signals.....	7-9
Digital coding.....	6-53
Direct linkage.....	6-76
Direct manipulation.....	2-2, 3-29, 8-100
Direction of force	
horizontal.....	14-47
vertical.....	14-48
Direction of movement.....	6-4
Disabilities.....	8-195
Discharge capacitors.....	12-12
Discussion paragraph.....	1-13
Disparity.....	5-22
Displays.....	5-1
arrangement of.....	5-3
positioning.....	5-2
tilt.....	5-4
viewing distance.....	5-5
Distortion.....	5-20
Distribution of workload.....	6-1
Document hierarchy.....	15-21
Document level considerations	
size.....	15-18
Document size.....	15-18
Door clearances.....	10-34
Door opening.....	10-34
Doorways and hinged doors.....	10-34
Dot matrix displays.....	6-62
Drop-down list boxes.....	8-129
Duplicate emergency controls.....	7-21
Durability.....	2-1
Duration.....	7-10
Dynamic (mobile) body characteristics.....	14-28
Dynamic dimensions.....	14-13
Dynamic information.....	3-10, 8-58

## E

Editing.....	8-13
Effective temperature.....	13-8
Effects of clothing.....	14-9
ELD.....	5-17

Electric shock.....	12-7
protection from.....	12-8
Electrical	
bench mockup cables.....	4-68
clamps and mounting plates.....	4-65
labeling, marking, and coding.....	4-69
leads.....	4-65
length of cables and leads.....	4-61
routing and mounting.....	4-63
test and extension cables.....	4-67
Electrical connections	
plugs and receptacles.....	4-55
wire connections.....	4-56
Electrical equipment near gasses.....	12-11
Electrical hazards	
discharging devices.....	12-12
grounding.....	12-13
switches.....	12-11
Electrical installation and location....	12-11
Electrical tools.....	12-15
Electroluminescent displays.....	5-17
Electronic checklists.....	2-5
Electronic technical manuals.....	15-58
Element	
displacement.....	5-10
size.....	5-10
Elevation.....	14-29
Elevators.....	10-30
Elevators, inclinators, and hydraulic work	
platforms.....	10-33
Emergency conditions.....	6-52
Emergency door design.....	10-36
Emergency escape hatches.....	10-38
Emergency exits.....	10-35, 12-3
Emergency lights.....	13-19
Emergency procedures.....	2-5
Encrypting messages.....	11-7
Entrances and exits.....	10-33
doorways.....	10-34
hatches.....	10-36
whole body access.....	10-37
Environment.....	13-1
general rules.....	13-1
illumination.....	13-11
noise.....	13-20
temperature and humidity.....	13-5
ventilation.....	13-2
Equipment	
arrangement.....	4-15
mounting.....	4-15
packaging.....	4-15

location..... 12-6  
 Equipment clearances ..... 10-34  
 Equipment grouping ..... 10-22  
 Equipment layout..... 10-22  
 Equipment stability..... 12-6  
 Equipment with wheels..... 12-6  
 Equipment-related safety ..... 12-6  
 Error ..... 2-4, 2-5  
 Error dialog box..... 8-156  
 Error management ..... 8-35, 8-177  
 Error messages..... 8-179  
 Error resistant ..... 2-5, 3-5  
 Error tolerance ..... 2-5, 3-5  
 Evaluation..... 5-17  
 Exerted forces ..... 14-43  
 Exhibits..... 1-13, 15-24  
 Exit design..... 10-36  
 Explosion hazards..... 12-29  
 Exposed corners..... 12-18  
 Exposed edges ..... 12-17  
 Extension ..... 14-29  
 Exterior platforms..... 10-31  
 Eye protection..... 12-34

## F

FAA-G-2100..... 1-5  
 Face shields ..... 12-23  
 Fail safe ..... 12-9  
 Fail-safe design..... 2-4  
 Failure..... 7-4  
 Failure indicators ..... 6-79  
 Faint signal detection..... 5-11  
 False alarms ..... 3-19, 7-4  
 Fasteners  
   captive versus removable..... 4-50  
   distinctive..... 4-52  
   labeling, marking, and coding..... 4-50  
   latches and catches..... 4-46  
   number ..... 4-43  
   nuts and bolts ..... 4-43  
   other fastening devices..... 4-47  
   plug-in ..... 4-52  
   quick fastening and releasing devices 4-49  
   quick-action..... 4-53  
   screw and bolt heads ..... 4-45  
   screws..... 4-44  
   threaded..... 4-52  
   types ..... 4-43  
 Fault management..... 3-17  
 Feedback..... 2-6, 3-8, 3-9, 3-11, 3-34,  
   6-72, 6-73, 8-174  
 Feedback forms..... 15-47  
 Fields ..... 8-30

Labels ..... 8-31  
   Text fields ..... 8-31  
 Figures ..... 15-37  
   content..... 15-39  
   identification ..... 15-37  
   location..... 15-37  
   orientation ..... 15-39  
   oversize figures ..... 15-39  
   style..... 15-38  
 Figures and examples..... 15-3  
 File management..... 8-112  
 File management commands..... 8-114  
 Fire extinguishers..... 12-25  
 Fire hazard reduction ..... 12-25  
 Fixed-function keys ..... 9-6  
 Fixed pointer  
   moving circular scale ..... 6-76  
   moving linear scale ..... 6-76  
   moving scale ..... 6-76  
 Fixed-pointer moving-scale indicators 6-70  
 Flags ..... 6-66  
 Flags displays ..... 6-64  
 Flasher failure ..... 6-52  
 Flashing ..... 6-59  
 Flat-panel displays ..... 5-13  
 Flexion..... 14-29  
 Flicker..... 5-7, 5-8, 5-9  
   light source..... 13-19  
 Floor space..... 10-23  
 Floors ..... 10-27, 10-29  
 Flow chart..... 15-6  
 Fluid lines ..... 12-20  
 Fluid and gas lines  
   clamps and supports..... 4-73  
   labeling, marking, and coding..... 4-75  
   routing and mounting..... 4-72  
 Folding doors ..... 10-35  
 Foldout pages..... 15-25  
 Font..... 6-15, 8-23, 15-29  
 Foot-operated controls ..... 6-17, 6-18, 7-21  
   location..... 6-18  
 Foot-operated switches ..... 6-19  
 Footers ..... 15-20, 15-21  
 Footnotes ..... 15-50  
 Footrests ..... 10-9  
 Foreground..... 8-67  
 Foreign populations ..... 14-13  
 Format ..... 15-55  
 Form-filling ..... 8-77  
 Forms..... 8-29  
   defaults ..... 8-35  
   error management ..... 8-35  
   general..... 8-29

layout.....	8-33
navigation.....	8-34
Format .....	1-11
Formatting .....	8-16
Freeze frame .....	8-112
Frequency .....	7-11
Function allocation .....	3-22
Function keys.....	8-97
Furniture clearances.....	10-34
Fuses.....	4-92, 4-93
labeling and marking.....	4-98

**G**

Ganged control knobs .....	6-27
Gases .....	12-20, 12-25, 12-29
Gas plasma displays.....	5-17
Gaussian distribution .....	14-11
Glare .....	5-12, 13-16
diffuse .....	5-12
minimizing.....	5-12
specular .....	5-12
Glass doors .....	10-35
Glossary.....	1-13, 15-46
Gloves, protective.....	12-9
Graphic symbols.....	15-17
Graphical controls.....	8-132
special .....	8-132
Graphical information.....	8-36
general.....	8-36
maps .....	8-37
Graphics.....	8-54, 15-61
creating.....	8-56
editing .....	8-56
entry and manipulation .....	8-54
user aids .....	8-56
Graphs .....	8-45
areas .....	8-49
bar charts.....	8-50
circular profile chart.....	8-51
coding.....	8-45
curves .....	8-48
diagrams.....	8-53
flowcharts.....	8-52
grid lines.....	8-48
histograms .....	8-50
labels .....	8-45
linear profile charts .....	8-51
lines .....	8-48
pie charts .....	8-51

scales .....	8-45
scatter plots .....	8-49
segmented curve.....	8-52
Grid.....	9-17
Ground and floor surfaces.....	10-29
Grounding.....	12-13, 12-14, 12-15
Guard design.....	12-19
Guard screen .....	10-32, 12-5
Guardrails .....	10-30, 10-31, 10-40, 12-5
Guards .....	12-19

**H**

Hand controls.....	6-50
Handholds.....	10-31, 10-32, 12-4, 12-5
fixed .....	12-5
nonfixed .....	12-5
Handrails.....	10-40
Hand wear.....	6-5, 6-8, 6-9
Hand-operated controls .....	6-20
Handles .....	
dimensions .....	4-10
handle characteristics.....	4-9
location.....	4-12
when handles are needed .....	4-8
Hatches .....	10-36
Hazard alerting device .....	12-1
Hazardous components .....	12-19
Hazardous conditions.....	4-4
Hazardous location .....	4-4
Hazardous sound levels.....	13-20
Hazards .....	
gas .....	12-20
liquid .....	12-20
Headers.....	15-20, 15-21
Heading.....	15-4
Headsets.....	7-14
Hearing loss .....	13-20
Hearing protection .....	13-20
Help .....	2-8, 7-2, 8-182
Help windows .....	8-189
HFDG .....	1-1, 1-2, 1-14
HFDS .....	1-1, 1-3, 1-15
Hierarchical labeling.....	6-13
Hierarchical levels .....	8-76
Highlighting.....	8-115
High noise.....	13-23
High temperature .....	12-19
Hoists.....	4-15
Hooks.....	12-19
Hot air discharge.....	13-8
Hot leads.....	12-11
Hotspot .....	9-20
Human performance.....	2-4, 2-6
Human strength and handling capacity.....	14-42

muscle strength factors ..... 14-42  
 push and pull forces ..... 14-47  
 Humidity ..... 13-5  
 Humidity measurements ..... 13-10

## I

Icons ..... 8-122  
 Identification ..... 11-3  
 Illumination . 6-65, 10-2, 10-41, 12-4, 13-12  
   brightness ratio ..... 13-17  
   dark adaptation ..... 13-14  
   glare ..... 13-16  
   lighting fixtures ..... 13-19  
   reflected glare ..... 13-17  
   workplace ..... 13-12  
 Image formation time ..... 5-14  
 Implosion hazards ..... 12-29  
 Improper mounting ..... 2-6  
 Inadvertent operation .....  
   ..... *See* accidental actuation  
 Inadvertent movement ..... 6-29  
 Inclimators ..... 10-30  
 Index ..... 1-14, 15-46  
 Indicators  
   location ..... 6-55  
 Information automation ..... 3-24  
 Input devices  
   interchangeability ..... 9-25  
 Input focus ..... 8-159  
 Instructions ..... 15-67  
 Insulating equipment ..... 12-8  
 Integration ..... 3-26  
 Intelligibility criteria ..... 7-17  
 Intensity ..... 7-11, 7-15  
 Interaction ..... 8-75  
 Interaction method ..... 8-75  
 Interactive electronic technical manuals  
   descriptive information ..... 15-70  
 Interactive electronic technical manuals  
   audio ..... 15-63  
   graphics ..... 15-61  
   interaction style ..... 15-65  
   presentation of parts information ..... 15-69  
   special requirements for proceduralized  
     instructions ..... 15-67  
   special requirements for troubleshooting  
     information ..... 15-68  
   text ..... 15-60  
   user interface ..... 15-67  
   warnings, cautions, and notes ..... 15-64  
 Interchangeable ..... 2-4

Interface ..... 3-9  
   direct manipulation ..... 3-29  
   location status ..... 3-9  
   simplicity ..... 3-9  
 Interface consistency ..... 3-9  
 Interlocks ..... 12-8  
   bypassable ..... 12-10  
   non-bypassable ..... 12-10  
   override ..... 12-10  
 Internal components  
   layout ..... 4-79  
   mounting ..... 4-79, 4-86  
   packaging ..... 4-79  
 Internal controls ..... 6-9  
 Interocular crosstalk ..... 5-21  
 Introductory summary ..... 15-6  
 Irradiance ..... 12-30  
 Itemization ..... 15-5

## J

Jacks ..... 4-15  
 Jitter ..... 5-9  
 Joint motion ..... 14-29  
 Joy ball ..... 9-14  
 Joysticks ..... 6-84, 9-1, 9-8, 9-10,  
   9-11, 9-13, 9-14  
   finger operated displacement ..... 9-11  
   hand-operated isometric ..... 9-13  
   mounting ..... 9-14  
   thumb tip and finger operated ..... 9-13  
 Justification ..... 15-28

## K

Key  
   size ..... 9-5  
   spacing ..... 9-5  
 Keyboard ..... 9-4, 9-5, 9-6  
   feedback ..... 9-6  
 Keyboard equivalents  
   to function keys ..... 9-6  
   to pointing device operations ..... 9-6  
 Keyboard lockout ..... 8-173  
 Keyguard ..... 9-26  
 Keys ..... 8-68  
 Key-operated switches ..... 6-22  
 Kickspace ..... 10-19  
 Knee space height ..... 10-8  
 Kneeling ..... 10-21  
 Knobs ..... 6-7, 6-25, 6-78, 6-83

**L**

Label..... 6-16, 6-41  
 abbreviations..... 6-16  
 case of letters..... 6-15  
 character height..... 6-14  
 location and orientation..... 6-12  
 removal..... 6-12  
 readability..... 6-14  
 terminology..... 6-12  
 warning..... 12-35, 12-37  
 wording..... 12-37  
 Label characteristics..... 6-10  
 Label mounting..... 6-12  
 Labeling.. 4-88, 6-23, 6-49, 6-78, 6-82, 8-20  
 Labeling and marking  
   field..... 8-31  
   location and orientation..... 4-23  
   markings..... 4-26  
   types of labels..... 4-22  
   typographic matters..... 4-24  
   wording..... 4-25  
 Labeling controls..... 6-10  
 Labels..... 6-10, 6-11, 6-12, 6-13, 6-14, 6-83  
 Labels, safety..... 12-9  
 Ladders..... 10-39, 12-4  
   fixed ladders..... 10-48  
   portable ladders..... 10-50  
   stair ladders..... 10-46  
   telescoping ladders..... 12-5  
 Lamp replacement..... 6-57, 6-58, 6-61  
 Lamp testing..... 6-57  
 Landings..... 10-30, 10-44  
 Large-screen displays..... 5-18  
 Large-screen optical projection displays.....  
   ..... 5-19  
 Laser..... 12-35  
 Laser exposure limits..... 12-34  
 Laser hazards..... 12-34  
 Latches..... 12-18  
 Lateral rotation..... 14-29  
 Lateral work space..... 10-24  
 Layout  
   accessibility..... 4-82  
   grouping of parts..... 4-84  
   hazard protection..... 4-85  
 LCD..... 5-15  
 LEDs..... See Light Emitting Diodes  
 Left-right reversal..... 9-21  
 Legend lights..... 6-59  
 Legend switches..... 6-38  
 Legends..... 6-59, 6-60, 6-66, 8-68  
 Legibility..... 5-1

Levels of automation..... 3-22  
 Levers..... 6-47, 6-79, 12-19  
 Lifting..... 14-52  
 Lifting and carrying limits..... 14-52  
 Lifting ladders..... 10-51  
 Light emitting diodes..... 6-63  
 Light pen..... 9-2, 9-8, 9-16  
 Lighting..... 13-11  
 Lighting fixtures..... 13-19  
   controls..... 13-19  
 Lighting level, workplace..... 13-12  
 Limb support..... 6-49, 9-15  
 Limit stops..... 6-1  
 Limiting dimension..... 14-5  
   line length..... 15-27  
 Line spacing..... 6-15, 15-27  
 Linear scales..... 6-67  
 Line of sight..... 5-3  
 Lines and cables  
   electrical..... 4-59  
   fluid and gas lines..... 4-71  
 Liquid crystal displays..... 5-15  
 List boxes..... 8-129  
 Lists..... 8-27, 15-42  
 Locking control..... 12-6  
 Lockout..... 12-8  
 Log off..... 8-168  
 Log on..... 8-168, 11-3, 11-4  
 Luminance..... 5-10, 5-19, 6-56, 8-13, 13-12  
   adjusting..... 5-11  
   contrast..... 6-57  
   maximum..... 13-17  
   minimum..... 13-17  
   ratio..... 5-19, 5-20, 13-16  
   surrounding light sources..... 5-11

**M**

Main power switch..... 12-11  
 Maintenance..... 10-2  
 Maintenance workstations..... 10-20  
 Manual shutoff..... 7-13  
 Map windows..... 8-151  
 Maps  
   characteristics..... 8-37  
   creating..... 8-43  
   editing..... 8-43  
   manipulation..... 8-41  
 Margins..... 15-20, 15-21  
 Mathematical signs..... 15-17  
 Maximizing windows..... 8-162  
 Measurement..... See Units of measurement  
 Measurements..... 1-11  
 Medial rotation..... 14-29  
 Mental model..... 2-3



Menu  
     graphic..... 8-92  
 Menu types  
     utility windows..... 8-152  
 Menus ..... 8-77  
     cascading..... 8-88  
     hierarchical..... 8-86  
     interaction ..... 8-93  
     menu bars ..... 8-82  
     option selection ..... 8-93  
     option types ..... 8-80  
     option wording ..... 8-81  
     options..... 8-79  
     organization..... 8-81  
     pop-up ..... 8-90  
     pull-down ..... 8-84  
     scrolling..... 8-89  
     system menus ..... 8-83  
     tear-off..... 8-92  
     titles..... 8-78  
     toggled..... 8-92  
 Mercury ..... 12-20  
 Message bar ..... 8-143  
 Messages  
     transmission ..... 11-8  
 Message windows ..... 8-152  
 Microwave radiant energy ..... 12-34  
 MIL STD 1472 ..... 1-1  
 Miniature controls..... 6-51  
 Minimizing windows ..... 8-161  
 Minimum automation elements..... 3-2  
 Misalignment..... 2-6  
 Mnemonic..... 8-94  
 Mobile body characteristics  
     .....*See* Dynamic body characteristics  
 Modes ..... 3-11  
 Modular ..... 2-5  
 Modularization ..... 4-80  
 Module..... 4-1  
 Monitoring..... 3-13  
 Motion artifacts ..... 5-14  
 Mounting in drawers, on racks, and on  
     hinges  
     external connectors and interlocks..... 4-19  
     restraints and supports..... 4-19  
 Mouse ..... 9-1, 9-8, 9-9  
 Movement relationships..... 6-76  
 Moving-pointer, fixed-scale indicators 6-69  
 Moving windows ..... 8-163  
 Multi-person consoles..... 10-12  
 Multiple correlation data, use of..... 14-12  
 Multiple signals ..... 7-9  
 Multirotation controls ..... 6-1

## N

NDI..... 1-3  
 New material..... 1-5, 1-7  
 New standards..... 1-5  
 Noise..... 12-28, 13-20  
     hazardous sound levels ..... 13-20  
     nonhazardous sound levels ..... 13-21  
     testing..... 13-21  
 Noise exposure..... 13-21  
 Noise filtering..... 7-5  
 Noise hazards..... 12-26  
 Noise levels ..... 12-26, 13-22  
 Noise shields..... 7-18  
 Nonskid surfaces..... 12-3  
 No illumination, meaning ..... 6-54  
 Non-interchangeable ..... 2-4  
 Non-keyboard input devices  
     advantages..... 9-1  
     disadvantages ..... 9-1  
 Nonskid floor surfaces ..... 10-40  
 Non-skid material ..... 10-31  
 Numbering ..... 1-12, 15-5, 15-6, 15-23  
 Number of signals..... 7-8  
 Numbers ..... 15-16  
 Numeric formatting..... 8-25

## O

Occupational noise..... 13-23  
 On-line help..... 8-182  
 ON-OFF switches ..... 6-23  
 Open gratings, platforms or flooring.... 12-5  
 Open square ..... 1-12  
 Open windows ..... 8-157  
 Operating controls ..... 7-20  
 Operational areas ..... 13-22  
 Optical character recognition..... 9-22  
 Optimum temperature ..... 13-7  
 Organization ..... 15-53  
     advance organizers..... 15-6  
     internal cross references..... 15-7  
     numbering of sections and subsections15-5  
     task versus list orientation..... 15-7  
     titles and headings..... 15-4

## P

Packaging  
     modularization ..... 4-80  
     modularization methods..... 4-81

Packaging, arrangement, and mounting of equipment		safety labels and placards.....	12-35
interchangeability, noninterchange-		temperature hazards .....	12-24
ability .....	4-17	toxic hazards .....	12-20
labeling and marking.....	4-22	work space safety .....	12-1
mounting in drawers, on racks, and on		Phosphor .....	5-9
hinges .....	4-18	Phrases .....	15-11
positioning equipment.....	4-20	Physical accommodation.....	10-1
utilization of equipment .....	4-16	Physical barriers .....	12-2
Packaging, layout, and mounting of		Physical hazard prevention .....	12-16
internal components		Physical hazards.....	12-16
layout.....	4-82	Physical security .....	11-2
packaging.....	4-80	Pictorial symbols .....	6-17
Page level considerations		Pictorial graphic panels.....	6-61
margins.....	15-20	Pixel failure rate.....	5-15
Page numbering .....	15-23	Placards .....	12-35
foldout pages .....	15-24	Platform strength .....	10-31
Paging .....	8-26	Platforms.....	10-30, 12-5, 12-4
Palettes .....	8-124	Plotters .....	5-23
Panels and doors .....	12-15	Plugs and receptacles .....	12-11
Panning .....	8-57	Point size .....	15-25
Paragraphs .....	15-7	Pointer .....	9-7
Passageways .....	10-26	Pointer shapes.....	9-18, 9-20
Passive voice .....	15-10	Pointing device buttons.....	9-20
Passwords .....	11-5	Pointing devices.....	9-7
changing.....	11-6	Polarity .....	5-15, 5-16
protection .....	11-6	Polished surfaces .....	13-17
PELs .....	13-20	Polychlorinated Biphenyls (PCBs).....	12-23
People with disabilities .....	5-25	Population extremes	
alternative output devices .....	5-25	use of.....	14-3
mobility .....	5-26	Portable lights .....	13-19
speech.....	5-25	Portable platforms.....	10-31
visual .....	5-25	Positioning equipment	
Perforation size.....	12-24	physical accessibility .....	4-20
Periodicity .....	7-10	relative accessibility.....	4-21
Personnel energy		Preferred speech interference level ....	12-26
radiant energy.....	12-31	Preparing messages.....	8-190
Personnel safety.....	12-1	Presentation .....	7-16
aprons.....	12-23	Primary windows .....	8-146
carcinogens .....	12-24	Print size .....	15-26
chemicals.....	12-23	Printed circuit switches.....	6-46
electrical hazards.....	12-7	Printed output .....	5-23
eye protection.....	12-23	Printer	
fire protection.....	12-25	controls.....	5-24
gas hazards .....	12-20	Printers.....	5-22, 6-64
laser hazards.....	12-34	Priority levels.....	7-3
liquid hazards .....	12-20	Probability of detection.....	7-2
noise hazards .....	12-26	Proceduralized instructions	
physical hazards .....	12-16	branching and cross references .....	15-57
radiation hazards .....	12-22	format.....	15-55
		miscellaneous.....	15-57
		organization and content.....	15-53
		wording of steps .....	15-55
		Projection displays.....	5-19
		Prompting .....	8-173
		Pronation.....	14-29

Prone..... 10-21  
 Pronouns..... 15-14  
 Protective gloves..... 12-9  
 Prototypes..... 6-9  
 Publication date..... 15-51  
 Punctuation..... 15-11  
 Push buttons..... 6-33, 8-125, 8-145  
 Push-pull controls..... 6-43, 6-45

## Q

Queries..... 8-104  
 Query  
     multiple levels..... 8-109  
     screen design..... 8-107  
 Question-answer..... 8-76  
 Quiet areas..... 13-22

## R

Radiant energy..... 12-30  
     chronic exposure..... 12-34  
     exposure..... 12-31  
     eye exposure..... 12-32  
     far-infrared..... 12-33  
     short term exposure..... 12-33  
 Radiant energy hazards..... 12-29  
 Radio buttons..... 8-126  
 Radio frequency voltage..... 12-11  
 Radioactive materials..... 12-22  
 Ramp cleating..... 10-43  
 Ramp dimensions..... 10-41  
 Ramp landings..... 10-41  
 Ramp loads..... 12-6  
 Ramps..... 10-39, 10-42, 12-4  
     landings..... 10-30  
 Range of motion..... 14-33  
 Reach..... 14-35  
     wheelchair..... 14-52, 14-53, 14-55  
 Reach envelope..... 14-37  
 Reach envelope data..... 14-8, 14-36  
 Reach limits..... 10-25  
 Readability..... 5-2  
 Rear access space..... 10-24  
 Reasonable accommodation..... 2-7  
 Receiving messages..... 8-193  
 Recorders..... 5-23  
 Redundant information..... 10-2  
 Redundancies..... 1-11  
 Redundancy..... 2-5  
 References..... 1-14  
 Reflections..... 5-12  
     work surface reflection..... 13-17  
 Refresh rate..... 5-1, 5-8

Relative humidity..... 13-10  
 Reliability..... 2-1, 7-4  
 Remote controls..... 6-4  
 Removing power..... 12-13  
 Reorganization..... 1-5, 1-6  
 Repair..... 10-20  
 Rescue requirements, hatches..... 10-37  
 Resizing windows..... 8-164  
 Resolution..... 5-13  
 Response time..... 8-171  
 Restoring windows..... 8-163  
 Retinal damage..... 12-31  
 Review..... 1-5  
 Revised chapters..... 1-5  
 Revolving doors..... 10-35  
 Right and left hand pages..... 15-22  
 Rocker switch..... 6-41  
 Rocker switches..... 6-40, 6-46  
 Rolling ball..... 9-14  
 Rotary selector switch..... 6-75  
 Rotary selector switches..... 6-20  
 Routine messages..... 8-177

## S

Safety..... 2-1, 2-4, 2-6  
 Safety labels..... 12-35  
 Scale graduations..... 6-67  
 Scale indicators..... 6-66  
 Screen design..... 8-7  
     consistency..... 8-11  
     context..... 8-8  
     format..... 8-9  
     general principles..... 8-7  
     initial display..... 8-12  
 Screen luminance..... 5-10  
 Screens..... 10-31  
 Screen saver..... 8-168  
 Screws..... 12-16  
 Scroll-bars..... 8-141  
 Searching..... 8-107  
 Seat cushioning..... 10-8  
 Seat reference point..... 14-36  
 Seated workplaces..... 10-5  
 Seating dimensions..... 10-6  
 Secondary windows..... 8-146  
 Section 508..... 1-18  
 Security architecture..... 11-2  
 Security safeguards..... 11-1  
     documentation..... 11-8  
 Segmented displays..... 6-62  
 Seizures, display induced..... 5-8  
 Selection methods..... 8-114  
 Selection options..... 8-114  
     highlighting..... 8-115  
 Self powered equipment..... 12-15

- Self-locking device ..... 12-4
- Sending messages ..... 8-191
- Sentences
  - capitalization ..... 15-11
  - choice of wording ..... 15-8
  - complexity ..... 15-9
  - length ..... 15-9
  - person and mood ..... 15-10
  - positive, not negative wording ..... 15-10
  - punctuation ..... 15-11
  - standard phrases ..... 15-11
  - voice ..... 15-10
  - word order ..... 15-9
  - writing level, readability ..... 15-8
- Seriation ..... 15-5
- Serrations ..... 6-28
- Service points ..... 4-98
- Sets ..... 8-68
- Shape coding ..... 6-7, 6-11, 6-22, 6-23
- Shields ..... 12-19
- Shorting rods ..... 12-12, 12-13
- Should and Shall statements ..... 1-12
- Shutdown control ..... 6-17
- Signal meaning ..... 7-9
- Simple indicator lights ..... 6-60
- Simplicity ..... 2-2
- Simplify navigation ..... 1-11
- Simultaneous alarms ..... 7-2
- Size
  - alphanumeric ..... 5-17
  - symbols ..... 5-17
- Size coding ..... 6-7, 6-23
- Sizing determinations ..... 14-5
- Skill levels ..... 2-8
- Slide switches ..... 6-42
- Sliding doors ..... 10-35
- Solid square ..... 1-12
- Sound level ..... 12-26
- Sources ..... 1-13
- Spacing ..... 6-5, 6-25, 6-51, 6-60, 6-80, 8-21, 10-23
  - text ..... 15-21
- Spatial representation ..... 3-9
- Specular reflectance ..... 13-17
- Speech intelligibility ..... 7-17
- Speech intensity ..... 7-15
- Speech interference level 7-15, 12-26, 13-22
  - Preferred speech interference level .. 13-22
- Speech reception equipment ..... 7-19
  - de-emphasis, use of ..... 7-19
  - frequency range ..... 7-19
  - speaker monitoring ..... 7-19
  - speaker signals, filtering of ..... 7-19
- Speech transmission equipment ..... 7-18
  - dynamic range ..... 7-18
  - frequency range ..... 7-18
  - pre-emphasis ..... 7-18
- Spelling ..... 15-16
- Splitting windows ..... 8-160
- Squatting ..... 10-21
- Squelch control ..... 7-21
- Stacked commands ..... 8-120
- Stacked consoles ..... 10-11
- Stair design ..... 10-45
- Stairs ..... 10-39, 10-44, 12-4
- Standard words ..... 15-13
- Standardization ..... 2-3
- Standardized hardware ..... 2-3
- Standardized software ..... 2-3
- Standing workstations ..... 10-16
- Startle ..... 7-8
- Static buildup ..... 12-9
- Static dimensions ..... 14-13
- Status bar ..... 8-144
- Status indication ..... 7-4
- Status information ..... 8-176
- Stereopsis ..... 5-22
- Stereoscopic displays ..... 5-21
  - color usage ..... 5-21
  - temporal modulation ..... 5-22
- Stooping ..... 10-21
- Storage ..... 10-20
- Stored energy devices ..... 12-6
- Strength
  - comparative ..... 14-46
  - dynamic ..... 14-42
  - explosive ..... 14-42
  - female ..... 14-42
  - static ..... 14-42
  - values ..... 14-45
- Stroke width ..... 5-14, 6-14, 6-15
- Stylus ..... 9-3, 9-8, 9-17
- Superseded documents ..... 1-14
- Supination ..... 14-29
- Supine ..... 10-21
- Suppressed alarms ..... 7-4
- Suppression ..... 8-58
- Swinging doors ..... 10-35
- Switch box ..... 12-12
- Switches ..... 12-11
- Swivel capability ..... 10-6
- Symbols ..... 15-17, 15-18
- System access ..... 8-168
- System menu
  - menu bar ..... 8-83
- System Operations ..... 8-167
- System response ..... 3-8

**T**

Table of contents ..... 15-3, 15-6, 15-35  
 Tables ..... 8-28, 15-40  
   content ..... 15-41  
   formatting ..... 15-41  
   identification ..... 15-40  
   location ..... 15-41  
   orientation ..... 15-42  
   oversize tables ..... 15-42  
 Tabs ..... 15-3, 15-50  
 Tactical displays ..... 8-37  
 Tagouts ..... 12-8  
 Tailoring ..... 1-1, 1-9, 1-10, 1-16  
 Task considerations ..... 14-14, 14-35  
 Team console types ..... 10-15  
 Telephone systems ..... 7-21  
 Temperature ..... 13-5  
   differentials ..... 13-2  
   effect on work activity ..... 13-8  
   enclosed workplaces ..... 13-10  
   maximum effective ..... 13-8  
   minimum effective ..... 13-8  
   optimum range ..... 13-7  
 Terminating alarms ..... 7-13  
 Terminology ..... 2-4, 15-12  
 Test equipment ..... 4-104, 4-112, 12-15  
   bench mockups ..... 4-110  
   built in ..... 4-107  
   built-in ..... 4-108  
   collating test equipment ..... 4-109  
   controls and displays ..... 4-106  
   ease of use ..... 4-105  
   go/no-go ..... 4-109  
   partially built in ..... 4-107  
   portable ..... 4-108  
   safety ..... 4-105  
   storage space ..... 4-111  
 Test points ..... 4-98  
 Test points and service points ..... 4-98  
   accessibility ..... 4-101  
   adjustment controls ..... 4-98  
   drain points ..... 4-100  
   labeling, marking, and coding ..... 4-103  
   location and arrangement ..... 4-99  
 Testing ..... 2-1  
 Text ..... 8-12, 15-60  
   coding ..... 8-24  
   date formatting ..... 8-25  
   general information ..... 8-12  
 Text alignment ..... 8-19

Text display ..... 8-12, 8-17  
 Text entry ..... 8-12, 8-14  
 Text frames ..... 8-16  
 Text size ..... 15-25  
 Text windows ..... 8-151  
 Thermal comfort ..... 13-7  
 Three-dimensional displays ..... 5-21  
 Three-knob assemblies ..... 6-28  
 Thumb and forefinger grasp ..... 14-39  
 Thumbwheel controls ..... 6-23, 6-30  
 TIDs ..... 9-22  
 Time formatting ..... 8-25  
 Title bar ..... 8-140  
 Titles ..... 1-12, 8-140, 15-4, 15-5  
 Toe board ..... 10-32, 12-5  
 Toeholds ..... 10-31  
 Toggle switches ..... 6-35  
 Tool insulation ..... 12-15  
 Tools ..... 4-111, 12-15  
   common hand tools ..... 4-112  
   special tools ..... 4-112  
 Touch interactive devices ..... 9-22  
 Touch panel ..... 9-22  
 Touch panels ..... 9-22  
 Touch screen ..... 9-3, 9-22  
 Touch temperature contact ..... 12-24  
 Toxic substances ..... 13-5  
 Track ball ..... 9-14  
 Trackball ..... 9-1, 9-8, 9-10  
 Traffic areas ..... 10-22  
 Training ..... 2-2, 2-3, 2-6, 3-20, 4-4  
 Transaction logs ..... 11-7  
 Transaction options ..... 8-118  
   stacked commands ..... 8-120  
 Transilluminated displays ..... 6-54  
 Transilluminated panel assemblies ..... 6-61  
 Transfer of skills ..... 2-7  
 Tremor ..... 14-46  
 Trunk movement ..... 14-28  
 Trust ..... 3-10  
 Tunnels ..... 10-30  
 Type size ..... 15-25  
 Typographic issues  
   color and shading ..... 15-32  
   justification ..... 15-28  
   line length ..... 15-27  
   line spacing ..... 15-27  
   print contrast, quality ..... 15-31  
   type size ..... 15-25  
   type style (font) ..... 15-29  
   typographic emphasis ..... 15-30  
   upper versus mixed case text ..... 15-29

**U**

Uniform controls ..... 2-3

Units of measurement ..... 15-16, 15-17  
 Unsuccessful log on ..... 11-4  
 Unusual working positions ..... 10-20  
 Use of this document ..... 1-9  
 User abilities ..... 2-6  
 User comfort ..... 7-20  
 User documentation  
   components of documents ..... 15-32  
   layout and formatting ..... 15-18  
   making documentation appear easy to  
     use ..... 15-3  
   matching documentation to users ..... 15-2  
   specific user documentation contents ..... 15-51  
   writing user documentation ..... 15-4  
 User expertise ..... 3-3  
 User in command ..... 3-2  
 User initiated interrupts  
   freeze frame ..... 8-112  
 User-initiated interrupts ..... 8-110  
 User involvement ..... 3-7  
 User population ..... 14-2  
 User warnings ..... 2-5  
 Utility windows ..... 8-152

## V

Validation ..... 3-8  
 Valve controls ..... 6-4  
   to control movement ratio ..... 6-78  
 Variability factors ..... 14-13  
 Vehicular traffic ..... 10-42  
 Ventilation ..... 13-2  
   analysis of ..... 13-3  
   intakes ..... 13-3  
   large enclosure ..... 13-3  
   small enclosure ..... 13-2  
 Ventilation holes ..... 12-19  
 Verbal signals ..... 7-7, 7-15  
 Vertical stacked consoles ..... 10-11  
 Vibration ..... 5-7  
 Viewing angle ..... 5-19  
 Viewing distance ..... 5-6, 5-7, 5-18, 5-19  
 Visibility of controls ..... 10-2  
 Visibility of displays ..... 10-2  
 Visual access ..... 10-26  
 Visual angle ..... 5-17  
 Visual indicator and control  
   color-coding ..... 6-8  
 Visual indicator-control integration ..... 6-72  
 Visual indicator ..... 6-52  
   digital ..... 6-76  
 Visual indicator and control  
   grouping of ..... 6-73

Visual warning ..... 7-2  
 Voice activation ..... 9-3  
 Voice communication ..... 7-16  
 Voice control ..... 9-25  
 Voice input ..... 9-22  
 Voice signals ..... 7-14  
 Voltage guarding ..... 12-10  
 Volume controls ..... 7-20, 7-22

## W

Walking traffic ..... 10-42  
 Walkways ..... 10-26  
 Warning ..... See Labels:warning  
 Warnings ..... 15-44, 15-64  
 Warning labels ..... 2-5, 10-40  
 Warning signals ..... 7-3, 7-15  
 Wheelchair accessibility ..... 10-28  
 Wheelchair anthropometrics ..... 14-52  
 White space ..... 15-21  
 Whole body motion ..... 14-28  
 Window navigation ..... 8-166  
 Window operations ..... 8-160  
   closing ..... 8-163  
   maximizing ..... 8-162  
   minimizing ..... 8-161  
   moving ..... 8-163  
   resizing ..... 8-164  
   restoring ..... 8-163  
   splitting windows ..... 8-160  
 Window states  
   active ..... 8-158  
   closed ..... 8-157  
   input focus ..... 8-159  
   open ..... 8-157  
 Window types ..... 8-146  
   application ..... 8-148  
   data entry windows ..... 8-150  
   map windows ..... 8-151  
   primary windows ..... 8-146  
   secondary ..... 8-146  
   system window ..... 8-149  
   text windows ..... 8-151  
 Windows ..... 8-18, 8-138  
   components ..... 8-140  
 Word choice ..... 7-15  
 Word spacing ..... 6-15  
 Wording ..... 6-16  
 Wording ..... See Labels:wording  
   sentences ..... 15-10  
 Words and symbols  
   abbreviations and acronyms ..... 15-14

concrete, non-ambiguous words .....	15-13
consistency .....	15-12
definitions .....	15-14
graphic symbols .....	15-17
letter symbols and mathematical signs .....	15-17
numbers .....	15-16
other symbols .....	15-18
pronouns .....	15-14
short, high-frequency words .....	15-12
spelling .....	15-16
standard words .....	15-13
units of measurement .....	15-17
Workload levels .....	3-4
Workplace design .....	2-4, 10-1
layout .....	10-22
Work space to permit access .....	10-24
Workspace clearance dimensions .....	10-20
Workspace safety .....	12-1
Workstation .....	10-1
Work surfaces .....	10-19
Work surface reflection .....	13-17
Wrap-around console .....	10-10
Writing user documentation	
organization .....	15-4
paragraphs .....	15-7
sentences .....	15-8
titles and headings .....	15-4
words and symbols .....	15-12

## **Z**

Zooming .....	8-57
---------------	------

